

# Dual 4k 60fps. AI acceleration. Our 4th generation Pod puts the **pro** in productivity.

## Overview

Mersive Pro is designed to meet the rigorous demands of modern enterprises, higher education institutions, and healthcare organizations, where performance is not optional—it's a requirement. Equipped with dual 4K HDMI output and AI-enhanced delivery, Mersive Pro ensures fluid, ultra-clear presentations, dynamic content sharing, and real-time interaction. Whether in critical corporate board meetings or collaborative classroom sessions, Mersive Pro empowers participants to share, collaborate, and engage without limitations, making every interaction seamless and impactful.

## Applications

### Wireless Screen Sharing

Mersive Pro enhances your meetings with powerful wireless screen sharing, allowing content sharing from any device—laptops, tablets, or smartphones—without the hassle of cables or adapters. Fully compatible with AirPlay and Miracast, Mersive Pro makes it easy to display presentations, collaborate on projects, or share ideas across any platform. Whether it's a quick brainstorming session or an important client meeting, Mersive Pro's wireless capabilities ensure everyone can contribute effortlessly, delivering a smooth and professional experience every time.

### Digital Signage

Turn idle screens into dynamic communication tools with Mersive Pro's digital signage capabilities. Whether you're displaying important company announcements, internal branding, or educational content, Mersive Pro ensures your screens are always working for you. Ideal for corporate environments, large meeting rooms, and higher education, digital signage keeps your audience informed and engaged, even when the space isn't in use for collaboration.

### Looking Ahead

Mersive Pro is designed with future capabilities in mind. With upcoming features powered by intuitive AI enhancements, advanced AV routing, and dynamic digital signage, Mersive Pro ensures your collaboration technology stays ahead of the curve.



Gen4 Pod, included with Mersive Pro

## BENEFITS

- Web-based sharing eliminates apps and dongles
- Dual 4K HDMI output for versatile display options
- Secure, encrypted content sharing
- Scalable to grow with your business

## USE CASES

- Meeting spaces, auditoriums, classrooms and conference rooms
- Presentation spaces with confidence monitors
- Higher education
- Enterprise
- Healthcare



Transform your internal and client-facing meetings with simple, secure wireless screen sharing. Use digital signage to strengthen your brand and communicate vital updates in shared spaces.



Enhance teaching and research with intuitive, app-less screen sharing for both instructors and students. Mersive Pro fosters collaborative learning environments with high-definition multi-share capabilities.




Deliver secure, high-resolution visuals for patient consultations or staff meetings. Mersive Pro ensures confidential content sharing and efficient collaboration in healthcare environments.

**Deploy in no time:** Get your team connected fast with Mersive Pro's hassle-free setup—no need for lengthy installations.

**Hit the ground running:** The intuitive interface ensures your team can start collaborating immediately, cutting down on time spent learning new tools.

**Keep your data locked down:** Protect your content with enterprise-grade security, safeguarding intellectual property and meeting compliance with the highest standards.

**Collaborate without limits:** Mersive Pro's support for multiple connections keeps everyone engaged, ensuring fluid, real-time collaboration without interruptions.



# Hardware Specifications

<b>Video</b>	H.264, H.265 encode / decode VP8, VP9 decode
<b>Resolution</b>	Dual 4K (4096 x 2160 @ 60Hz) HD (1920 x 1080 @ up to 60Hz) (1280 x 720 @ up to 60Hz)
<b>Ethernet</b>	10/100/1000 RJ-45 connector
<b>Wi-Fi</b>	Wi-Fi 6, 802.11 a/b/g/n/ac/ax compliant, MIMO 2x2
<b>Network</b>	Protocols: TCP/IP, HTTP, HTTPS, SNMP/NTP, SSL, SSH, UDP Security: WEP, WPA2, WPA2 Enterprise or IEEE 802.1x
<b>Content Protection</b>	HDCP 2.0
<b>Power</b>	12 VDC, 2 A   24W Max
<b>Dimensions</b>	150 mm x 67 mm x 30 mm
<b>Weight</b>	0.45 lb (204.1 g)
<b>Temperature</b>	0° C (32° F) to 35° C (95° F) Operating
<b>Humidity</b>	30% RH to 70% RH Ambient
<b>Accessories</b>	Power Supply Unit (not included) HDMI Cable (not included)
<b>Protocols</b>	WebRTC, AirPlay, Miracast

## Regulatory

FCC, IC, and UL, CE, RoHS

## Warranty

Limited 3-year manufacturer's warranty

## Part of the Mersive Collaboration Suite

The Mersive Collaboration Suite (MCS) offers a range of solutions designed to meet the unique needs of diverse environments, from small businesses to large educational institutions. Each tier—Smart, Essentials, and Pro—includes powerful tools like the MCS web app for onboarding, monitoring, and customizing devices. It also supports multi-organization management, allowing seamless collaboration and secure administration across multiple teams or entities.




At Mersive, we are at the forefront of developing versatile collaboration software, consciously designed to meet the dynamic needs of businesses, educational institutions, and healthcare facilities. Our solutions emphasize intuitive operation, secure data handling, and interoperability to enhance teamwork, learning, and patient engagement, fostering a culture of innovation and connectivity in every interaction.

©2024 Mersive Technologies, Inc. All rights reserved.

**mersive Pro** Data Sheet


Digital signage and mobile device sharing will be free updates available after product introduction.




FRONT



BACK



- A Kensington Lock** | Cerradura Kensington | Serrure Kensington | Kensington Schloss | Kensington 锁
- B Ethernet (POE+)** | 乙太網路供電+
- C DC Power** | Energía DC | Courant continu | Gleichstromversorgung | 直流电源
- D Audio Out** | Salida de audio | Sortie audio Audio Ausgang | 音频输出
- E USB x 2**
- F HDMI 2.0 Out x 2**
- G HDMI 2.0 In**



**mersive**

1667 Cole Blvd. Suite 225  
Lakewood, Colorado

**mersive.com**

DS-MCS.PRO-02282025