



Complete Collaboration Solution for Small Meeting Spaces

Solstice Conference paired with the Logitech MeetUp combines the reach of video conferencing with the power of rich, multi-participant content sharing to enhance the collaboration experience between onsite and remote users.

This room solution delivers the convenience of a traditional room system with the flexibility to use any conferencing service installed on the meeting host's laptop.

Solstice Conference


- Multi-participant content sharing from any device
- Agnostic support for all major conferencing services
- Easy, one-step start from the meeting host's laptop
- Wirelessly connects the Logitech MeetUp system to the conference
- Enterprise-grade security and fully IT-compliant
- Cloud-based deployment management and analytics

Logitech MeetUp

- Compact all-in-one ConferenceCam with integrated audio
- Ultra HD video with advanced zoom, life-like video quality, and super-wide field of view
- Custom-tuned speaker refined for huddle room acoustics
- Omni-directional microphones reduce noise and echo
- Plug-and-play USB connectivity

Meeting Host Laptop

- Requires Windows or macOS laptops to host meetings
- Supports Zoom, Teams, and most other conferencing apps



System Components

Mersive Solstice

Solstice Pod Gen3
HDMI cable
Power supply

Logitech MeetUp

MeetUp ConferenceCam
Remote control
USB cable: 16 ft (5 m)
Power supply
Wall mount and hardware

Additional Requirements

Meeting host laptop (Windows or macOS)
Web conferencing service (Teams, Zoom, etc.)
Current Solstice Subscription

Installation Instructions

1. Place or mount the Logitech MeetUp, then connect to power.
2. Attach the Solstice Pod to power and the local Ethernet and/or wireless network (PoE+ supported).
3. Connect the MeetUp to the Solstice Pod via USB.
4. Connect the Pod to the display monitor via HDMI (outer HDMI 1 port recommended). An optional second display monitor can also be connected to the Pod.
5. As a note, Mersive recommends configuring the Solstice Pod's basic settings, such as updating the display name to match the room name.

For conferencing support, meeting hosts simply install the Solstice app on their laptop device along with their web conferencing application of choice. As a note, the host laptop must be connected to the same network as the Pod.

Technical Specifications

Solstice Pod Gen3

Part #: SP-8000-E1



Supported user devices	Windows, macOS, iOS, Android, Chromebook, Linux
Number of users	Unlimited
Number of content posts	Unlimited
Solstice app features	Conferencing Support (meeting hosts only, Windows and macOS supported) Share desktop, application window, image file, video file Intuitive drag-and-drop layout control Wireless annotation via smartphone
App-free sharing	AirPlay, Miracast, browser-based sharing, HDMI input
Streaming video support	4K UHD, Full HD, HD, SD
Network connection	Ethernet, WiFi, VLAN (x3)
Wireless frequency band	2.4 GHz and 5 GHz;
Security features	2048-bit network encryption Firewall protection between networks 802.1x authentication Access controls and moderation User authentication at runtime (optional)
Additional features	Wireless USB peripheral support Dual display support Touch display support Microsoft Exchange and O365 calendar support Digital signage playback API for third-party integrations Cloud-based management and meeting analytics
Warranty	1-year limited hardware warranty with option to extend to 3 years

Logitech MeetUp

Part #: 960-001101



Conference camera	Logitech MeetUp
Microphones	1 (integrated in system)
Speakers	1
Remote control	RF remote control
Video quality	4K UHD, Full HD, HD
RightSense technologies*	RightLight Low-light compensation Video noise reduction Low-light saturation optimization RightSight Human figure detection Auto-frame participants at meeting start Auto-frame participants on-demand Auto-reframe when participants enter, leave, or change positions RightSound Machine learning AI trained to distinguish human speech from other sounds AEC (Acoustic Echo Cancellation) VAD (Voice Activity Detector) Background noise suppression Auto-level loud and soft voices Peak-limiting algorithm eliminates even momentary speaker clipping to prevent distortion Anti-vibration enclosure
Additional features	Plug-and-play USB connectivity Super-wide 120 field of view 5x HD zoom Motorized pan/tilt 3 camera position presets Bluetooth wireless technology
Mounting options	Integrated table / wall mount TV mount (optional)
Warranty	2-year limited warranty

Please contact sales@mersive.com and visit logitech.com for purchase options.

* Application-based Logitech RightSense functionality not supported through Solstice.